

### **ORACLE 1Z0-076**

Oracle Database Data Guard Administration Certification Questions & Answers

Exam Summary – Syllabus – Questions

1Z0-076

Oracle Certified Professional, Oracle Database 19c - Data Guard Administrator
74 Questions Exam – 61% Cut Score – Duration of 120 minutes



### **Table of Contents:**

Know Your 1Z0-076 Certification Well:	2
Oracle 1Z0-076 Database Data Guard Administration Certification Details:	2
1Z0-076 Syllabus:	3
Oracle 1Z0-076 Sample Questions:	5
Study Guide to Crack Oracle Database Data Guard Administration 1Z0-076 Exam:	9



#### Know Your 1Z0-076 Certification Well:

The 1Z0-076 is best suitable for candidates who want to gain knowledge in the Oracle Database 19c. Before you start your 1Z0-076 preparation you may struggle to get all the crucial Database Data Guard Administration materials like 1Z0-076 syllabus, sample questions, study guide.

But don't worry the 1Z0-076 PDF is here to help you prepare in a stress free manner.

The PDF is a combination of all your queries like-

- What is in the 1Z0-076 syllabus?
- How many questions are there in the 1Z0-076 exam?
- Which Practice test would help me to pass the 1Z0-076 exam at the first attempt?

Passing the 1Z0-076 exam makes you Oracle Certified Professional, Oracle Database 19c - Data Guard Administrator. Having the Database Data Guard Administration certification opens multiple opportunities for you. You can grab a new job, get a higher salary or simply get recognition within your current organization.

# Oracle 1Z0-076 Database Data Guard Administration Certification Details:

	0   0   1   10   0   1   1   1   1
Exam Name	Oracle Database 19c - Data Guard Administration
Exam Code	1Z0-076
Exam Price	USD \$245 (Pricing may vary by country or by localized currency)
Duration	120 minutes
Number of Questions	74
Passing Score	61%
Format	Multiple Choice Questions (MCQ)
Recommended Training	Oracle Database 19c: Data Guard Administration Workshop



Schedule Exam	Pearson VUE
Sample Questions	Oracle Certified Professional, Oracle Database 19c - Data Guard Administrator (OCP)
Recommended Practice	1Z0-076 Online Practice Exam

# 1Z0-076 Syllabus:

<ul> <li>Describe the Architecture of Oracle Data Guard</li> <li>Explain the benefits of implementing Oracle Data Guard</li> <li>Explain the applicability between physical and logical standby and snapshot databases</li> <li>Explain Data Guard use with the Oracle Multi-tennant databases</li> </ul>
- Understand the basics of Oracle Net Services - Implement Data Guard best-practice solutions in the networking setup
<ul> <li>Configure the primary database and Oracle Net Services to support the creation of the physical standby database and role transition</li> <li>Describe the Database Nologging Enhancements</li> <li>Create a physical standby database by using the DUPLICATE TARGET DATABASE FOR STANDBY FROM ACTIVE DATABASE RMAN command</li> <li>Demonstrate the usage of the PL/SQL procedure DBMS_DBCOMP.DBCOMP</li> <li>Explain the creation of a standby database by using DBCA</li> </ul>
- Perform Real-Time query to access data on a physical standby database - Describe the supported workload in Active Data Guard (Read-Only) instances
- Create a snapshot standby database to meet the requirement for a temporary, updatable snapshot of a physical standby database - Convert a snapshot standby database back to a physical standby database
<ul> <li>Determine when to create a logical standby database</li> <li>Manage SQL Apply filtering</li> <li>Create a logical standby database</li> </ul>
<ul> <li>Describe the Data Guard broker architecture</li> <li>Explain the benefits of the Data Guard broker</li> <li>Describe the Data Guard broker components</li> <li>Describe Data Guard broker configurations</li> </ul>



- Create a Data Guard broker configuration
- List the new Data Guard Broker commands
- Manage the Data Guard broker configuration
- Use Enterprise Manager to manage your Data Guard
configuration
- List the new Data Guard Broker VALIDATE commands
- Invoke DGMGRL to manage your Data Guard configuration
- Describe the data protection modes
- Change the data protection mode of your configuration
- Explain the database roles
- Perform a failover
- Perform a switchover
- Explain how to keep physical standby sessions during role
transition
- Configure Flashback Database
- Explain the functionality of replicated restore points
- Explain the advantages of using Flashback Database in a
Data Guard configuration
- Explain the functionality of automatic flashback
- Configure fast-start failover
- Perform role changes in a fast-start failover configuration
- View information about the fast-start failover configuration
- Manually reinstate the primary database
- Manage the observer
- Use Recovery Manager (RMAN) to back up and restore
files in a Data Guard configuration
- Recover your primary database over the network
- Offload backups to a physical standby database
- Synchronize Standby Database from Primary Database
with one command
- Enable RMAN block change tracking for a physical standby
database
- Using Automatic Block Media Recovery
- Patch and upgrade databases using traditional patch
methods
- Perform rolling upgrades
- Monitor configuration performance
- Describe Tunable Automatic Outage Resolution
- Optimize redo transport for best performance
- List Diagnostic Tools in Active Data Guard (Read-Only)
environment
- Optimize SQL Apply
- Describe the primary database changes that may or may
not require manual intervention at a physical standby
database.



Structural Changes on the Primary Database	
Guard: Far Sync and	<ul> <li>Use Far Sync to extend zero data loss protection for intercontinental configurations</li> <li>Describe how to create a far sync instance by using RMAN</li> <li>Describe the Real-Time Cascading</li> </ul>
Connectivity in a Data	<ul> <li>Configure client connectivity in a Data Guard configuration</li> <li>Using Application Continuity in a Data Guard Environment</li> <li>Implement failover procedures to automatically redirect clients to a new primary database</li> </ul>

## Oracle 1Z0-076 Sample Questions:

#### Question: 1

Which two statements are true about Real-Time Query?

- a) Setting STANDBY\_MAX\_DATA\_DELAY =0 requires synchronous redo transport.
- b) Disabling Real-Time Query prevents the automatic start of redo apply when a physical standby database is opened READ ONLY.
- c) Real-Time Query sessions can be connected to a Far Sync instance.
- d) Real-Time Query has no limitations regarding the protection level of the Data Guard environment.
- e) A standby database enabled for Real-Time Query cannot be the Fast-Start Failover target of the Data Guard configuration.

Answer: a, d

#### Question: 2

Which two are prerequisites for creating a standby database using Enterprise Manager cloud control?

- a) The primary database must have FORCE LOGGING enabled.
- b) The primary database must be in archive log mode
- c) A backup of the primary database must exist.
- d) The primary host and the proposed standby database host must run the same operating system.
- e) The primary database instance must be started using an SPFILE.
- f) The primary database must have flashback enabled

Answer: b, e



#### Question: 3

A query on the view DBA\_LOGSTBY\_UNSUPPORTED on your primary database returns no rows As a result of this, you decide that an upgrade may use logical standby databases. Which two are true about upgrading Data Guard environments consisting of one logical standby database running on a separate host from the primary?

- a) The upgrade always requires downtown until the upgrade of the logical standby is completed
- b) Using manual upgrade, catctl.pl can be executed in some cases on the primary and standby database simultaneously.
- c) The upgrade always required downtime until the upgrade of the primary is completed
- d) Using manual upgrade, catupgr.sql needs to run on the primary database only.
- e) SQL Apply on the local standby database must be stopped while the primary database is upgraded.
- f) Fast-Start Failover can be used to protect the primary database during the upgrade.

Answer: b, e

#### Question: 4

Examine the Data Guard configuration:

DGMGRL> show configuration

Configuration – Animals Protection

Mode: MaxAvailability

Databases: dogs- Primary database

sheep-(\*) Physical standby database cats- Physical standby database

Fast-Start Failover: ENABLED

Configuration Status: SUCCESS

What happens if you issue "switchover" to sheep;" at the DGMGRL prompt?

- a) The switchover succeeds but Dogs need to be reinstated
- b) The switchover succeeds but Fast-Start Failover is suspended.
- c) The switchover succeeds and Cats become the new failover target.
- d) The switchover succeeds and Dogs become the new failover target
- e) it results in an error indicating that a switchover is not allowed

Answer: d



#### Question: 5

Which four database parameters might be affected by or influence the creation of standby databases?

- a) DB\_NAME
- b) ARCHIVE LAG TARGET
- c) COMPATIBLE
- d) DB\_FILE\_NAME\_CONVERT
- e) DB UNIQUE NAME
- f) FAL\_SERVER
- g) STANDBY\_ARCHIVE\_DEST

Answer: a, d, e, f

#### Question: 6

You must manually reinstate a database using DGMGRL. To which database should you connect with DGMGRL before issuing the REINSTATE command and in which state should the target database be?

- a) The target database should be in NOMOUNT state and DGMGRL should be connected to any database that is a member of the configuration
- b) The target database should be MOUNTED and DGMGRL should be connected to any database that is a member of the configuration
- c) The target database should be MOUNTED and DGMGRL should be connected to the primary database.
- d) The target database should be MOUNTED and DGMGRL should be connected to the target database
- e) The target database should be in NOMOUNT state and DGMGRL should be connected to the primary database

Answer: c

#### Question: 7

Which three are benefits of using the Data Guard Broker to manage standby databases?

- a) it simplifies physical standby database creation
- b) It provides an easy failover capability using a single command.
- c) it coordinates database state transitions and updates database properties dynamically.
- d) it automatically changes database properties after the protection mode for a configuration is changed
- e) It provides an easy switchover capability using a single command.
- f) It simplifies logical standby database creation.

Answer: b, c, e



#### Question: 8

Attempting to start the observer raises an error:

DGMGRL> start observer:

DGM-16954: Unable to open and lock the Observer configuration file Failed. Identify two possible reasons for this error.

- Fast-Start Failover is not yet enabled for this Data Guard configuration
- b) The observer configuration file is marked read-only.
- c) There is already an observer running for this Data Guard configuration.
- d) There is another observer running for a Data Guard configuration which uses the same observer configuration file
- e) The broker configuration has not yet been created.

Answer: b, d

#### Question: 9

You are licensed to use Oracle Active Data Guard. Which two statements are true after enabling block change tracking on a physical standby database?

- a) it allows fast incremental backups to be offloaded to the physical standby database
- b) It starts the CTWR process on the physical standby database instance
- c) it allows fast incremental backups to be taken on the primary database.
- d) It starts the RVWR process on the physical standby database instance.
- e) It allows fast incremental backups to be offloaded to a snapshot standby database, when the physical standby database in converted.
- f) It starts the CTWR process on the primary database instance.

Answer: a, b

#### Question: 10

Which three statements are true about Global Sequences when connected to a physical standby database with Real-Time Query enabled?

- a) If the CACHE option is set then the size of the cache must be atleast 100
- b) Their creation requires that a LOG\_ARCHIVE\_DEST\_n parameter be defined in the standby that points back to their primary
- c) Their usage will always have a performance impact on the primary database.
- d) Their usage may have a performance impact on the physical standby database if the CACHE size is too small
- e) They must have the NOORDER and CACHE options set.

Answer: b, d, e



# Study Guide to Crack Oracle Database Data Guard Administration 1Z0-076 Exam:

- Getting details of the 1Z0-076 syllabus, is the first step of a study plan. This pdf is going to be of ultimate help. Completion of the syllabus is must to pass the 1Z0-076 exam.
- Making a schedule is vital. A structured method of preparation leads to success. A candidate must plan his schedule and follow it rigorously to attain success.
- Joining the Oracle provided training for 1Z0-076 exam could be of much help. If there is specific training for the exam, you can discover it from the link above.
- Read from the 1Z0-076 sample questions to gain your idea about the actual exam questions. In this PDF useful sample questions are provided to make your exam preparation easy.
- Practicing on 1Z0-076 practice tests is must. Continuous practice will make you an expert in all syllabus areas.

#### Reliable Online Practice Test for 1Z0-076 Certification

Make DBExam.com your best friend during your Oracle Database 19c - Data Guard Administration exam preparation. We provide authentic practice tests for the 1Z0-076 exam. Experts design these online practice tests, so we can offer you an exclusive experience of taking the actual 1Z0-076 exam. We guarantee you 100% success in your first exam attempt if you continue practicing regularly. Don't bother if you don't get 100% marks in initial practice exam attempts. Just utilize the result section to know your strengths and weaknesses and prepare according to that until you get 100% with our practice tests. Our evaluation makes you confident, and you can score high in the 1Z0-076 exam.

Start Online practice of 1Z0-076 Exam by visiting URL

https://www.dbexam.com/oracle/1z0-076-oracle-database-19c-dataguard-administration